

Risks of excessive screen use. Digital detox strategies

Riesgos del uso excesivo de pantallas. Estrategias de desintoxicación digital

Leticia Trejo Espíndola ^a

Abstract:

We often dedicate our routines to screen time, enjoying the benefits and entertainment that screen time provides, however, it is also necessary to consider the impact and consequences of excessive screen time. The objective of this research focuses on: a) identifying the consequences of excessive screen time, such as increased obesity, sleep disorders, depression, anxiety, behavioral problems, and isolation; and b) providing digital detox options that are possible to carry out, setting limits on their use, which allows for more affectionate and warm relationships, in addition to taking advantage of time in activities that promote physical activity that benefit personal well-being.

Keywords:

Excessive use of screens, risks, physical and mental health.

Resumen:

A menudo dedicamos nuestras rutinas al tiempo frente a la pantalla, disfrutamos de los beneficios y el entretenimiento que nos proporciona el tiempo frente a la pantalla, sin embargo, es necesario considerar de igual manera el impacto y consecuencias que tiene el uso excesivo de pantallas. El objetivo de esta investigación se centra en: a) identificar las consecuencias del exceso de tiempo frente a pantallas como el aumento de la obesidad, trastornos del sueño, depresión, ansiedad, problemas de conducta y aislamiento; y b) brindar opciones de desintoxicación digital que es posible llevar a cabo, estableciendo límites en su uso, lo que permite relaciones de mayor afecto y calidez además de aprovechar el tiempo en actividades que promuevan la actividad física que beneficien el bienestar personal.

Palabras Clave:

Uso excesivo de pantallas, riesgos, salud física y mental.

INTRODUCTION

Nowadays, being connected to the internet has become indispensable for work, education, social and recreational life. Digitalization has improved and streamlined processes in various fields, such as education, work, and healthcare. However, the prolonged use of digital devices has significantly increased screen exposure time, leading to consequences for public health.¹

SCREEN USE AND OVERUSE

Over the past two decades, we have seen an increase in our reliance on screen time: television, tablets, smartphones, computers, and video game consoles, which are the devices on which most of our time is spent.¹

In 2022, Statista's research department estimated that 98.6 million people in Mexico had internet access, an increase of approximately 16 million compared to 2021. By 2026, around 118.2 million Mexicans are expected to have internet access, with the majority browsing the web through smartphones.² The World Health Organization (WHO) has established screen time guidelines: no screen exposure for children aged 0–2 years, one hour per day for children over six, and two hours per day for adolescents aged 12–18. The above gives us a parameter of what the use of screen time entails, understanding at the same time that abuse is what represents being outside of these parameters. Similarly, the Spanish Pediatric Society recently recommended restricting screen use

^a Corresponding author, Universidad Autónoma del Estado de Hidalgo, <https://orcid.org/0009-0008-4095-9298>, Email: leticia_trejo3674@uaeh.edu.mx

Received: 23/02/2025, accepted: 19/02/2025, Postprint: 23/05/2025, Published: 05/01/2026

DOI: <https://doi.org/10.29057/mjmr.v13i25.14570>



until age six and limiting it to one hour per day until age twelve.^{3,4}

RISKS OF SCREEN USE

The COVID-19 pandemic changed the way we interact in daily life. Lockdowns and the need for communication significantly increased the use of mobile devices and screen-based media, leading to greater dependence on these devices. This increase in screen exposure has been linked to sleep problems, low self-esteem, childhood obesity, depression, and anxiety. Additionally, excessive screen time negatively affects neuroplasticity, normal development, body weight, and vision. Studies also show lower behavioral scores segmented by age.⁵⁻⁸

A study of Spanish children found that excessive screen use led to emotional reactions such as difficulty completing tasks, irritability, concentration problems, discouragement, and, to a lesser extent, sleep and behavioral issues.⁹

In Spain, lower participation in extracurricular activities correlated with increased screen time. Among children with low screen use, 61.9% engaged in sports, 15.7% in music, and 48.0% in language learning. In contrast, among children with high screen use, these figures dropped to 49.1%, 8.1%, and 29.6%, respectively. These differences are statistically significant.¹⁰

The results show that excessive screen use is linked to a negative impact on sleep duration and quality in preschool-aged children. Moreover, poorer sleep-in childhood is associated with a higher likelihood of developing behavioral and cognitive problems.¹¹

Excessive screen use is linked to poorer sleep duration and quality in preschool-aged children, which, in turn, increases the likelihood of behavioral and cognitive issues. A statistically significant correlation was also found between expressive language delays and mobile device use among one-and-a-half-year-old children. Screen exposure reduces parent-child interactions and playtime, which are crucial for early language development and other developmental milestones.^{12,13}

Infants and preschoolers highly exposed to media have elevated risk of adiposity, sleep problems, aggressive behavior, musculoskeletal pain, bullying, unhealthy eating habits, decreased executive functions, delayed motor development, reduced physical activity, sedentary behavior, and emotional and behavioral difficulties.¹⁴

Contextual elements such as co-viewing and topic appropriateness are key to determining how language development is affected. Additionally, excessive screen use has detrimental effects on social and emotional growth, including an increased likelihood of obesity, sleep disorders, and mental health problems such as depression and anxiety. It can obstruct the ability to interpret emotions, encourage aggressive behavior, and harm overall psychological health.¹⁵

In recent decades, technological development has led to a significant increase in the use of devices with screens, which has coincided with a decrease in the amount of time people spend in contact with natural environments. This combination, characterized by high screen time and limited exposure to green spaces, could have a negative impact on mental health and overall well-being. Most of the research analyzed was cross-sectional (62%), and generally found that greater screen use is associated with negative psychological effects, while greater interaction with nature is linked with psychological benefits.¹⁶

Some of the conditions associated with the excessive use of ICT (information and communication technologies) during confinement, in minors, were anxiety, attention deficit, lack of impulse control, sleep disorders, eating disorders, self-esteem problems, depression.^{17,18}

Greater free time in adolescents is associated with less physical activity and greater sleep problems, and greater addiction to screens is inversely associated with eating habits, physical activity, and sleep-related variables.¹⁹

Excessive use of electronic screens can negatively impact various areas of child development, such as psychosocial, cognitive, learning, sleep, gross and fine motor skills, emotional, physical, language and communication skills, as well as the ability to form mental images. These effects are largely due to the reduction in face-to-face interactions, the decrease in time spent in active play, sensory overstimulation caused by screens, prolonged exposure to blue light, and the constant consumption of pre-prepared visual and auditory stimuli.²⁰

It is essential to highlight the role of parents not only in establishing clear messages about the use of screens by children and adolescents, but also in the adult individual's own behavior in relation to the same devices.²⁰

Parental screen use, including during family meals and in the bedroom, has been associated with increased screen time among adolescents and problematic use of social media, video games, and smartphones. Additionally, using devices as a behavioral control tool (e.g., as a reward or punishment) was linked to increased screen time and problematic video game use. In contrast, parental supervision and setting screen time limits has been associated with reduced screen use and less problematic engagement with social media and smartphones.^{21,22}

These associations can be explained through Bandura's social learning theory, which states that individuals learn by observing and modeling the behavior of others. Children may imitate their parents' screen habits, meaning parents who frequently use digital media may impose fewer restrictions on their children.²³

DIGITAL DETOX

The definition of digital detox is: "reducing or abstaining from the use of digital media, including social media." Digital detox

interventions significantly reduce depressive symptoms, suggesting that intentionally reducing or cessating digital interaction may help alleviate contributing factors.²⁴

It is important to reduce social media and smartphone use rather than promoting total abstinence, as reduction has shown more beneficial effects on well-being.²⁵

It is essential to consider the consequences of excessive screen use, particularly the sedentary nature of digital leisure activities. Screens should not replace activities crucial for children's development, such as reading, physical activity, or imaginative play.²⁶

Raising awareness among the general population is necessary, as relying on digital devices for attention and engagement fosters emotional detachment, weakens interpersonal warmth, and negatively impacts health. In extreme cases, these effects may require intervention from mental health professionals.²⁷

A two-week social media detox, limiting usage to just 30 minutes per day, significantly improved smartphone and social media addiction, as well as sleep quality, life satisfaction, stress levels, perceived well-being, and supportive relationships among young adults.²⁸

In Cairo, they evaluated the impact of a digital detox program on electronic screen syndrome in high school students. The results showed a decrease in the proportion of students with high screen addiction, which went from 20.0% before the intervention to 14.3% after it. Similarly, cases of moderate addiction decreased significantly, falling from 65.7% to 43.8%. On the other hand, the percentage of students with low levels of addiction increased significantly, rising from 14.3% to 41.9% after the program was implemented.²⁹

Digital detox interventions significantly reduce depressive symptoms, suggesting that intentionally reducing or cessating digital interaction may help alleviate contributing factors.²⁴

Digital detox can significantly reduce symptoms of anxiety and depression in young adult demographics, underscoring its potential as a nonclinical mental health intervention. These findings support the inclusion of structured periods of digital disconnection in mental health management strategies in educational and occupational settings.³⁰

During a digital detox intervention, participants found the experience manageable and even enjoyable. Significant improvements were observed in addiction and health-related outcomes, which persisted after the intervention ended. Furthermore, the review highlights the importance of tailoring detoxification approaches to each individual, as well as the need to implement strategies that help combat boredom and replace screen time with other activities.³¹

Regulating screen time is crucial to avoiding the health risks associated with prolonged screen exposure. It involves having adequate knowledge, a positive attitude, and proper practice of time regulation.¹

Setting limits, using parental controls, and modeling good screen behavior are techniques parents can use to manage their children's screen use. We can reduce the potential negative

effects of excessive screen time and promote children's healthy development and well-being by increasing awareness and encouraging alternative activities that stimulate development.¹⁵ Regarding children's interaction with media, methods that involve limiting use, using it in moderation, and encouraging healthy habits have been shown to be more effective.³²

CONCLUSIONS

Finally, we can conclude that screen use has benefits that we all find very attractive, but it is important to consider the risks of excessive use at any age and take steps to maintain balanced digital habits in our lives. We should enjoy screen time and also spend our time in healthy activities that impact our physical and mental health.

As a priority, the analysis is based on the risks that screen time poses to children, but it is essential for adults to take steps to model responsible screen use for children and use the digital detox strategies that best fit our daily activities.

It's important to consider the immediate effects of a digital detox, such as returning to more screen time and facing moments of boredom.

There's certainly no one-size-fits-all strategy; however, it's important to keep in mind that adults are responsible for the protection and safety of minors in any context, including the digital one.

REFERENCES

- [1] Alkalash SH, Alshamrani FA, Alharthi SA, Alzubaidi MA, Alqarehi RM, Bazaid AA, et al. Parents' Knowledge On, Attitude Toward, and Practice of Screen Time Exposure Regulation of Their Children Under Six Years of Age in Western Region, Saudi Arabia. *Cureus*. 2023; 15(11): e49464.
- [2] Statista. Promedio mensual de uso de redes sociales en varios países de Latinoamérica [Internet]. 2022 [cited 2025 Apr 2]. Available from: <https://es.statista.com/estadisticas/1413805/redes-sociales-promedio-mensual-de-uso-en-varios-paises-de-latinoamerica/>
- [3] World Health Organization. Guidelines on physical activity, sedentary behaviour and sleep for children under 5 years of age [Internet]. Geneva: World Health Organization; 2019 [cited 2025 March 20]. Available from: <https://iris.who.int/bitstream/handle/10665/311664/9789241550536-eng.pdf?sequence=1>
- [4] Spanish Society of Pediatrics. Update of the Family Digital Plan [Internet]. 2024 [cited 2025 Apr 2]. Available from: <https://www.rehueong.com.ar/sites/default/files/2025-01/AEP%20actualiza%20sus%20recomendaciones%20sobre%20el%20uso%20de%20pantalla.pdf>
- [5] Hutton JS, Dudley J, Horowitz-Kraus T, DeWitt T, Holland SK. Associations between screen-based media use and brain white matter integrity in preschool-aged children. *JAMA Pediatr*. 2020; 174(1): e192307.
- [6] Ramírez-Noriega A, Jiménez S, Martínez-Ramírez Y, Juárez-Ramírez R, Solís JC. El impacto de la pandemia en estudiantes de nivel secundaria en Sinaloa. *RIDE*. 2022; 12(24): e333.
- [7] Morales-Chainé S. Impacto del COVID-19 en la salud mental Enfermería Universitaria 2021; 18(2): 1-4.
- [8] Carmenate Rodríguez ID, Salas Mayea Y. Perfil clínico y epidemiológico de población infantil con manifestaciones psiquiátricas durante la pandemia de COVID-19. *Rev. Cubana Pediatría*. 2021;93(1): e1206.

- [9] Erades N, Morales A. Impacto psicológico del confinamiento por la COVID-19 en niños españoles: un estudio transversal. *Rev. Psicol. Clin. Niños Adolesc.* 2020; 7(3): 27-34.
- [10] Ortiz-de-Villate C, Gil-Flores J, Rodríguez-Santero J. Variables associated with the use of screens at the end of early childhood. *Pixel-Bit.* 2023; 66:113-36.
- [11] Merin L, Toledano-González A, Fernández-Aguilar L, Nieto M, Del Olmo N, Latorre JM. Evaluation of the association between excessive screen use, sleep patterns and behavioral and cognitive aspects in the preschool population. A systematic review. *Eur. Child. Adolesc. Psychiatry.* 2024; 33(12): 4097-114.
- [12] Van den Heuvel M, Ma J, Borkhoff CM, Koroshegyi C, Dai DWH, Parkin PC, et al. Mobile media device use is associated with expressive language delay in 18-month-old children. *J. Dev. Behav. Pediatr.* 2019; 40(2): 99-104.
- [13] Rodríguez Sas O, Estrada LC. Pantallas en tiempos de pandemia: efectos bio-psico-sociales en niñas, niños y adolescentes. *Rev. Soc.* 2021; 42: 15-29.
- [14] Li C, Cheng G, Sha T, Cheng W, Yan Y. The relationships between screen use and health indicators among infants, toddlers, and preschoolers: A meta-analysis and systematic review. *Int. J. Environ. Res. Public. Health.* 2020; 17(19): 7324.
- [15] Muppalla SK, Vuppapapati S, Reddy A, Sreenivasulu H. Effects of Excessive Screen Time on Child Development: An Updated Review and Strategies for Management. *Cureus.* 2023; 15(6): e40608.
- [16] Oswald TK, Rumbold AR, Kedzior SGE, Moore VM. Psychological impacts of "screen time" and "green time" for children and adolescents: A systematic scoping review. *PLoS ONE.* 2020; 15(9): e0237725.
- [17] Machado-Balbuena LL, Horta-Sánchez JP, Chavero-Jiménez W, Nava-Rodríguez MI. Impacto de las tecnologías de información y comunicación (TIC) en la población infantil y adolescente durante la pandemia por COVID-19: Análisis con perspectiva bioética. *Albores.* 2024; 3(4): 42-54.
- [18] Ribner AD, Coulanges L, Friedman S, Libertus ME. I-FAM-Covid Consortium. Screen Time in the Coronavirus 2019 Era: International Trends of Increasing Use Among 3- to 7-Year-Old Children. *J. Pediatr.* 2021; 239: 59-66.
- [19] Moitra P, Madan J. Impact of screen time during COVID-19 on eating habits, physical activity, sleep, and depression symptoms: A cross-sectional study in Indian adolescents. *PLoS One.* 2022; 17(3): e0264951.
- [20] Capó Mesquida C. Consecuencias del uso abusivo de pantallas electrónicas durante el desarrollo infantil. [Trabajo de fin de grado, Enfermería]. Palma de Mallorca (España): UIB; 2024.
- [21] Moreno-Villares JM, Galiano-Segovia MJ. El tiempo frente a las pantallas: la nueva variable en la salud infantil y juvenil. *Nutr. Hosp.* 2019; 36(6): 1235-6.
- [22] Nagata JM, Paul A, Yen F, Smith-Russack Z, Shao IY, Al-Shoaibi AAA, et al. Associations between media parenting practices and early adolescent screen use. *Pediatr. Res.* 2025; 97(1): 403-10.
- [23] Schmidt-Persson J, Rasmussen MGB, Sørensen SO, Mortensen SR, Olesen LG, Brage S, et al. Screen Media Use and Mental Health of Children and Adolescents: A Secondary Analysis of a Randomized Clinical Trial. *JAMA Netw. Open.* 2024; 7(7): e2419881.
- [24] Marciano L, Jindal S, Viswanath K. Digital Detox and Well-Being. *Pediatrics.* 2024; 154(4): e2024066142.
- [25] Ramadhan RN, Rampengan DD, Yumnanisha DA, Setiono SB, Tjandra KC, Ariyanto MV, Et al. Impacts of digital social media detox for mental health: A systematic review and meta-analysis. *Narra J.* 2024; 4(2): e786.
- [26] Rebollo Muñoz MP. ¿Influye en el desarrollo infantil, el tiempo de pantalla frente a los dispositivos electrónicos? [Trabajo de fin de grado, Enfermería]. Palma de Mallorca (España): UIB; 2020.
- [27] Bolaños Castillo DE. Adicción sin sustancia química por el uso indebido de la tecnología en niños comprendidos de 8 a 12 años del Colegio Real San Pablo de San Miguel Petapa. [Tesis de Licenciatura, Psicología Clínica y Consejería Social]. Guatemala: Universidad Panamericana; 2020.
- [28] Coyne P, Woodruff SJ. Taking a Break: The Effects of Partaking in a Two-Week Social Media Digital Detox on Problematic Smartphone and Social Media Use, and Other Health-Related Outcomes among Young Adults. *Behav. Sci. (Basel).* 2023; 13(12): 1004.
- [29] Mohamed SM, Abdallah LS, Kotb Ali FN. Effect of digital detox program on electronic screen syndrome among preparatory school students. *Nurs. Open.* 2022; 10(4): 2222-8.
- [30] Manzanero Díaz S. Impacto de las redes sociales en la salud mental de los adolescentes y cómo ello afecta a diferentes variables psicológicas. (Trabajo de fin de grado, Enfermería). Madrid (España): Universidad Europea; 2022.
- [31] Anandpara G, Kharadi A, Vidja P, Chauhan Y, Mahajan S, Patel J. A Comprehensive Review on Digital Detox: A Newer Health and Wellness Trend in the Current Era. *Cureus.* 2024; 16(4): e58719.
- [32] Mutlu N, Dinleyici M. Evaluation of Screen Time in Children Under Five Years Old. *Cureus.* 2024; 16(2): e54444.