









- of Environmental Chemical Engineering, 12, 112393. DOI: <https://doi.org/10.1016/j.jece.2024.112393>
- Dutta, S., Adhikary, S., Bhattacharya, S., Roy, D., Chatterjee, S., Chakraborty, A., Banerjee, D., Ganguly, A., Nanda, S., Rajak, P. (2024). Contamination of textile dyes in aquatic environment: Adverse impacts on aquatic ecosystem and human health, and its management using bioremediation. *Journal of Environmental Management*, 353, 120103. DOI: <https://doi.org/10.1016/j.jenvman.2024.120103>
- Jia, Z., Wu, L., Zhang, D., Han, C., Li, M., Wei, R. (2022). Adsorption behaviors of magnetic carbon derived from wood tar waste for removal of methylene blue dye. *Diamond & Related Materials*, 130, 109408. DOI: <https://doi.org/10.1016/j.diamond.2022.109408>
- Jiang W., Zhang, L., Guo, X., Yang, M., Lu, Y., Wang, Y., Zheng, Y., Wei, G. (2019). Adsorption of cationic dye from water using an iron oxide/activated carbon magnetic composites prepared from sugarcane bagasse by microwave method. *Environmental technology*, 42(3), 337-350. DOI: <https://doi.org/10.1080/09593330.2019.1627425>
- Khoshmanesh, M., Sanati, A. M., Shahcheragh, S., Farjadfard, S., Bonyadi, Z., Ramavandi, B. (2024). Recent advances in dyes uptake by microplastics in aquatic environments: Influencing factors and ecotoxicological behaviors. *Arabian Journal of Chemistry*, 17, 105737. Doi: <https://doi.org/10.1016/j.arabjc.2024.105737>
- Kundu, D., Sharma, P., Bhattacharya, S., Gupta, K., Sengupta, S., Shang, J. (2024). Study of methylene blue dye removal using biochar derived from leaf and stem of *Lantana camara L.* *Carbon Research*, 3, 22. DOI: <https://doi.org/10.1007/s44246-024-00108-1>
- Ofudje, E. A., Mohammed Al-Ahmary, K., F. Alshdoukhi, I., Alrahili, M. R., Kavil, Y. N., Alelyani, S. S., Bakheet, A. M., Al-Sehemi, A. G. (2024). Nano round polycrystalline adsorbent of chicken bones origin for Congo red dye adsorption. *Scientific Reports*, 14, 7809. DOI: <https://doi.org/10.1038/s41598-024-57412-4>
- Ramamurthy, K., Priya, P. S., Murugan, R., & Arockiaraj, J. (2024). Hues of risk: investigating genotoxicity and environmental impacts of azo textile dyes. *Environmental Science and Pollution Research International*. <https://doi.org/10.1007/s11356-024-33444-1>
- Saning, A., Thanachayanont, C., Suksai, L., Watcharin, W., Techasakul, S., Chuenchom, L., Dechtrirat, D. (2024). Green magnetic carbon/alginate biocomposite beads from iron scrap waste for efficient removal of textile dye and heavy metal. *International Journal of Biological Macromolecules*, 261, 129765. DOI: <https://doi.org/10.1016/j.ijbiomac.2024.129765>
- Sivaranjane, R., Kumar, P. S., Rangasamy, G. (2024). Hydrothermally produced activated carbon spheres from discarded maize cobs for efficient removal of rose bengal dye from water environment. *Desalination and Water Treatment*, 317, 101123. DOI: <https://doi.org/10.1016/j.dwt.2024.100123>
- Yagmur, E., Gokcea, Y., Tekina, S., Semelci, N. I., Aktasa, Z. (2020). Characteristics and comparison of activated carbons prepared from oleaster (*Elaeagnus angustifolia L.*) fruit using KOH and ZnCl<sub>2</sub>. *Fuel*, 267, 117232. DOI: <https://doi.org/10.1016/j.fuel.2020.117232>
- Zhang, S., Tao, L., Jiang, M., Gou, C., Zhou, C. (2015). Single-step synthesis of magnetic activated carbon from peanut shell. *Materials Letters*, 157, 281-284. doi:<https://doi.org/10.1016/j.matlet.2015.05.117>

Aceptado/Accepted